


Inventory as of 03/14/2024

Dimension	Size	Qty	SqFt
10'x10'	100	108	10,800
10'x40'	400	1	400
Totals:		109	11,200



APHL
MAY 6-8, 2024
MILWAUKEE WISCONSIN CENTER
EXHIBIT HALLS A & B
MILWAUKEE, WI



2575 NORTHWEST PKWY
ELGIN, IL 60124
P: 847.426.3100
F: 847.426.3111
www.vipertradeshow.com

DATE
3.14.24

BOOTH COUNTS
ALL BOOTHS ARE 10' X10'
UNLESS NOTED

POSTER B. = 144

KEY
FE-FIRE EQUIPMENT
ALL EXITS 6' UNLESS NOTED
ALL DRAPE USED MEETS
FLAME RETARDANT FIRE CODE

SHOW INFO
SHOW OPENS:
SHOW CLOSES:
MOVE IN:
MOVE OUT:
CONTACT:
PHONE:

CAPACITY INFO
GUESTS: N/A
TOTAL SQ FT: 85330
USABLE SQ FT: 85330
MAX OCCUPANCY: 5688
MAX ALLOWED OCCUPANCY: 5688
EXIT FEET REQ: 94'
FIRE EXITS GIVEN: 204
FIRE EXTINGUISHERS REQ: 28
FIRE EXTINGUISHERS GIVEN: N/A

DRAWN BY
M. MOSES
SCALE
1" = x UNITS
DISCLAIMER

Every effort has been made to ensure the accuracy of all information contained on this floor plan. However, no warranties, either expressed or implied, are made with respect to this floor plan. If the location of building columns, utilities or other architectural components of the facility is a consideration in the construction or use of the exhibit, it is the user's responsibility to verify all dimensions and locations.

Doors that are blocked or unavailable and are not needed to meet the minimum exit requirement will have exit signs covered.

There will be no candles, pyro-technics or open flames that have not been properly permitted used in this event.

ROOM
MAX OCCUPANCY 85330 sqft divided by 15 = 5688
Linear footage of exits REQUIRED, 5688 divided by 60 = 94'
Fire Exits Req, 5688 Times .02 = 113'
Fire Exits Given: 204
Fire Extinguishers Req: 85330 sqft divided by 3000 = 28
Fire Extinguishers Given: N/A